

Jumble

PROGETTO ITALIANO
41
zero
42

PROGETTO ITALIANO
41
zero
42

41zero42 è una storia giovane, aperta al futuro. E' un collettivo italiano di professionalità, che insegue il concetto di bello basato sull'eccellenza delle performances, attenta nel cercare un equilibrio tra ricerca, innovazione, tendenze e mercato. Diretta da un team di giovani manager che si muove a livello internazionale per affrontare nuove sfide e possibilità.

Le idee e l'approccio sono liberi dalle logiche passate che hanno sin qui orientato le collezioni ceramiche.

Negli ultimi anni il mondo ceramico si è evoluto e trasformato.






Ricerca e tecnologia hanno favorito una nuova dimensione alle piastrelle, prima ignorate dai progettisti e considerate solamente quale alternativa economica dei prodotti nobili, sono oggi considerate in molti casi, una opzione primaria da valutare nella offerta tra legni, pietre, malte e altri prodotti da pavimentazione e rivestimento.

La fusione tra: tecnologia, resa estetica, performances, praticità di utilizzo, ricerca, innovazione e made in italy sono la mission di **41zero42**.

41zero42 is a young project open to the future; an Italian team of professionals that focuses on the concept of beauty based on the excellence of performances, bearing in mind an even balance between research, innovation, trends and market demands. The enterprise is directed by a team of young managers who work internationally to face new challenges and potentials. The ideas and the approach are free from past logics that have conditioned the ceramic tile.

The world of ceramic tiles has evolved and changed over recent years. Research and technology have renewed tiles, which in the past were ignored by designers and were considered just an economic alternative to more noble products, but which are now considered a primary option in many cases, to be taken into consideration among the offers of wood, stone and mortar and other floor and tile products.

The merging of technology, appearance, performance, practical use, research, innovation and "made in Italy" is the mission of **41zero42**.



Dalla voglia di rompere gli schemi prende forma questa idea.

Molteplicità e caos convivono con equilibrio.

Un disordine ordinato che rende la serie Jumble unica nel suo genere.

Diversi materiali tra cui pietre di recupero, cementi, resine, marmi e legni fossili sono amalgamati come in una sinfonia in cui i diversi suoni si mescolano e si uniscono, si fondono e si confondono tra loro, così i diversi materiali e le svariate grafiche si mischiano insieme per dare origine a un'unica entità complessa e multiforme.

Abbiamo scelto materiali freddi, primordiali, in quattro colorazioni essenziali:

avorio, cemento, caffè, corten,

Un sapore comune, ma allo stesso tempo diverso per ogni colore: per cui nell'avorio verrà data maggior enfasi ai marmi, nel cemento alle malte, nel caffè alle pietre e nel corten al metallo; una maggiore percentuale di verità per ogni colore.

Equilibrio che viene costantemente destabilizzato da segni lasciati talvolta dal tempo, talvolta dall'uomo stesso. Ossidazioni, infiltrazioni, macchie di vernice vanno ulteriormente a contaminare quel disordine ritmico e cadenziato.

Jumble, non sempre l'armonia è data dall'ordine..

The desire to break the mould, shapes this idea.

Diversity and chaos coexist in a perfect balance.

An ordered disorder that makes the series Jumble a one of a kind.

Different materials including reclaimed stone, cements, resins, marble and fossil woods are mixed as it was a symphony, where the different many sounds mingle and blend, melt and mix each other, so the different materials and the various graphics do to create a new complex and versatile look.

We chose cold materials, primordial, essential in four colours:

Ivory, cement, coffee, corten. A shared flavour, but at the same time different in each colour: the Ivory shows a major emphasis on marble looks, the cement on mortars, the coffee on stones and the corten on metallic slabs.

A much more realistic percentage of truth for each colour.

Balance which is with constantly destabilized by the marks of the time, or the man himself.

Rust, leaks, paint stains contaminate even more that rhythmic and cadenced disorder.

Jumble, not always the harmony is provided by the order...





Jumble Avorio 22,5x90/9"x36"



Jumble Avorio 45x90/18"x36" - Muro41 Mill 5,5x22,5/2"x9"



Jumble Avorio 22,5x90/9"x36"









Jumble Cemento 22,5x90/9"x36"



Jumble Cemento 45x90/18"x36"











Jumble Caffè 22,5x90/9"x36"



Jumble Caffè 22,5x90/9"x36" - Muro41 Lava 5,5x22,5/2"x9"













Jumble Corten 22,5x90/9"x36"



Jumble Corten 22,5x90/9"x36" - Muro41 Olive 5,5x22,5/2"x9"









INFO TECH





JUMBLE AVORIO


TECHNOLOGY PORCELLANATO DIGITALE HD AD IMPASTO COLORATO - HD DIGITAL COLORED BODY PORCELAIN

FINISH NATURALE/RETTIFICATO - NATURAL/RECTIFIED

THICKNESS 10mm 3/8"



4100022
Mosaic Avorio 22,5X22,5 9"x9"
Dots 4,3x11 1.7"x4.3"



4100026
Battiscopa Skirting
7,5x90 3"x36"



4100013
Jumble Avorio 22,5X90 9"x36"



4100019
Jumble Avorio 45X90 18"x36"

Jumble	pcs	m ²	kg/box	Box/pal	m ² /pal	kg/pal	Thickness
45x90/18"x36"	3	1,215	27,00	36	43,74	972	10mm 3/8"
22,5x90/9"x36"	6	1,215	27,60	36	43,74	939,60	10mm 3/8"
Mosaic	10		10,00				10mm 3/8"
Skirting	10		20,00				10mm 3/8"



JUMBLE CEMENTO


TECHNOLOGY PORCELLANATO DIGITAL HD AD IMPASTO COLORATO - HD DIGITAL COLORED BODY PORCELAIN

FINISH NATURALE/RETTIFICATO - NATURAL/RECTIFIED

THICKNESS 10mm 3/8"



4100023
Mosaic Avorio 22,5X22,5 9"x9"
Dots 4,3x11 1.7"x4.3"



4100027
Battiscopa Skirting
7,5x90 3"x36"



4100012
Jumble Cemento 22,5X90 9"x36"



4100018
Jumble Cemento 45X90 18"x36"

Jumble	pcs	m ²	kg/box	Box/pal	m ² /pal	kg/pal	Thickness
45x90/18"x36"	3	1,215	27,00	36	43,74	972	10mm 3/8"
22,5x90/9"x36"	6	1,215	27,60	36	43,74	939,60	10mm 3/8"
Mosaic	10		10,00				10mm 3/8"
Skirting	10		20,00				10mm 3/8"



JUMBLE CAFFÈ


TECHNOLOGY PORCELLANATO DIGITAL HD AD IMPASTO COLORATO - HD DIGITAL COLORED BODY PORCELAIN

FINISH NATURALE/RETTIFICATO - NATURAL/RECTIFIED

THICKNESS 10mm 3/8"



4100021
Mosaic Caffè 22,5X22,5 9"x9"
Dots 4,3x11 1.7"x4.3"



4100027
Battiscopa Skirting
7,5x90 3"x36"



4100011
Jumble Caffè 22,5X90 9"x36"



4100017
Jumble Caffè 45X90 18"x36"

Jumble	pcs	m ²	kg/box	Box/pal	m ² /pal	kg/pal	Thickness
45x90/18"x36"	3	1,215	27,00	36	43,74	972	10mm 3/8"
22,5x90/9"x36"	6	1,215	27,60	36	43,74	939,60	10mm 3/8"
Mosaic	10		10,00				10mm 3/8"
Skirting	10		20,00				10mm 3/8"



JUMBLE CORTEN


TECHNOLOGY PORCELLANATO DIGITAL HD AD IMPASTO COLORATO - HD DIGITAL COLORED BODY PORCELAIN

FINISH NATURALE/RETTIFICATO - NATURAL/RECTIFIED

THICKNESS 10mm 3/8"



4100024
Mosaic Corten 22,5X22,5 9"x9"
Dots 4,3x11 1.7"x4.3"



4100028
Battiscopa Skirting
7,5x90 3"x36"



4100014
Jumble Corten 22,5X90 9"x36"



4100020
Jumble Corten 45X90 18"x36"

Jumble	pcs	m ²	kg/box	Box/pal	m ² /pal	kg/pal	Thickness
45x90/18"x36"	3	1,215	27,00	36	43,74	972	10mm 3/8"
22,5x90/9"x36"	6	1,215	27,60	36	43,74	939,60	10mm 3/8"
Mosaic	10		10,00				10mm 3/8"
Skirting	10		20,00				10mm 3/8"



NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	JUMBLE
ISO 10545/2	DIMENSIONI - SIZE lunghezza e larghezza - length and width spessore - thickness rettilinearità degli spigoli - straightness of edges ortogonalità - wedging planarità - flatness	± 0,6 % ± 5 % ± 0,5 % ± 0,6 % ± 0,5 %	± 0,6 % ± 5 % ± 0,5 % ± 0,6 % ± 0,5 %
ISO 10545/3	assorbimento d'acqua water absorption	<0,5 %	rispetta standard
ISO 10545/9	resistenza agli sbalzi termici thermal shock	nessuna alterazione visibile no visible alteration	resiste resistant
ISO 10545/12	resistenza al gelo frost/freeze resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ISO 10545/13	resistenza agli attacchi chimici chemical resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ISO 10545/4	resistenza alla flessione breaking strength	≥ 35 N/ mm ²	45 N/ mm ²
ISO 10545/7	resistenza all'abrasione visible abrasion resistance		PEI V
ISO 10545/14	resistenza alle macchie stain resistance	≥ CLASSE 3	5
DIN 51130	scivolosità anti-slip		R10



NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	JUMBLE
ISO 10545/2	DIMENSIONI - SIZE lunghezza e larghezza - length and width spessore - thickness rettilinearità degli spigoli - straightness of edges ortogonalità - wedging planarità - flatness	± 0,6 % ± 5 % ± 0,5 % ± 0,6 % ± 0,5 %	± 0,6 % ± 5 % ± 0,5 % ± 0,6 % ± 0,5 %
ASTM C373	water absorption	<0,5 %	meets the standards
ASTM C484	thermal shock	unaffected	unaffected
ASTM C1026	frost/freeze resistance	unaffected	unaffected
ASTM C650	chemical resistance		unaffected
DCOF	dynamic coefficient of friction	> 0,42	0,69
ASTM C1028	static coefficient of friction	> 0,60	DRY 0,80 WET 0,75
ASTM C1027	visible abrasion resistance		CLASS V
ASTM C1378	stain resistance	≥ CLASSE 3	5
ANSI A137.1	aesthetic classes	V0-V4	V3
DIN 51130	scivolosità anti-slip		R10



AVVERTENZE

Una corretta posa in opera, seguendo alcune semplici regole, garantirà un perfetto risultato finale:

- controllare la planarità delle pareti da rivestire o del massetto su cui posare le piastrelle da pavimento
- posare il prodotto miscelando il materiale prelevandolo da più scatole.
- maneggiare con cura il prodotto prima e durante la posa.
- per un migliore risultato estetico utilizzare stuccature colorate in tinta con le piastrelle.

Per nessun motivo saranno accolte contestazioni su materiale posato per danni visibili prima della posa.

41zero42 si riserva di apportare modifiche senza preavviso ai prodotti declinando ogni responsabilità per danni diretti o indiretti derivanti da eventuali modifiche.

I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi.

Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Il nostro personale di vendita è a vostra disposizione per dettagli e chiarimenti sui nostri prodotti.

ADVICE

A properly performed laying, following a few simple rules, will ensure a perfect finished result:

- check that the wall or floor slab onto which you will be laying the tiles is perfectly flat.
- pick material at random from different boxes while laying.
- handle the product with care before and during laying.
- for better aesthetic results, use coloured grouts to match the tiles

Claims on items which have already been laid won't be accepted, for any reason for any damage visible before laying .

41zero42 reserves the right to modify the mentioned products without notice, declining all responsibility on direct or indirect damages caused by eventual modification.

Colours and aesthetical features of the materials as illustrated in this catalogue are to be regarded as mere indications.

The tables containing the details of the content per box and the weight of packing are updated at the time the catalogue is printed; therefore the listed data may change.

Our sales department is at your disposal for any question you may have concerning our products.



**MADE
IN
ITALY**

CREDITS

ILLUSTRATION Ottavia Bruno // www.ottaviabrunoillustrator.com/

GRAPHIC PROJECT Martino Manni

Printed in italy

Gennaio 2013

PROGETTO ITALIANO
**41
zero
42**

41zero42 srl

Via Monte Mongigatto 24 int.11,
41042 Fiorano Modenese (MO) Italy

Tel +39 0536 839350 Fax +39 0536 920039

info@41zero42.it

www.41zero42.it