

water style

HANSADESIGNO. Your own personal style in your bathroom and kitchen.

More at hansadesigno.hansa.com





HOME, SWEET **STYLISH** HOME.

Home. On the list of phrases that you make feel good, it's definitely in the top ten. Right behind 'peace of mind' and 'after-work drinks'. Yet what makes a home different? What makes an apartment or house a home? Family? Friends? Wallpaper? Your favourite armchair? Yes, yes and yes. And much more. Home is felt, seen, tasted and experienced by every person entirely individually.

This aspiration to individuality guided us as we developed **HANSADESIGNO**: style meets individuality and absolute perfection.

In the end, it's your decision: whether side-controlled, top-controlled or touchless; whether just for the bathroom or for the kitchen too, or whether classic chrome or something that stands out more... the answer is always the same: **HANSADESIGNO**.


HANSA**DESIGNO** IN

O H A !



EXTRAVAGANT.
SPECTACULAR.
BOLD.

We cannot and would not want to deny it: this variant in rose gold and with a Mikado® stream isn't for everyone. Yet that is precisely why it could be the one for you.



STYLISH DOWN TO THE FINEST DETAIL.

Style is a key attribute of the HANSA**DESIGNO** models. The new Mikado® stream is one example of this, with many different jets of water flowing in and out of each other.

'... A NARROW, ROUND CROSS SECTION ENDING IN A GENTLY ROUNDED BASE...'

MODERN

OUR PRODUCTS ARE DESIGNED TO LAST A LIFETIME. WITH HANSA**DESIGNO**, WE HAVE CREATED A TIMELESS PRODUCT FAMILY THAT, DESPITE HAVING WIDELY DIFFERING MEMBERS, EMPHASISES CONSISTENT, CLEAR DESIGN LANGUAGE AND USAGE OF HIGH-QUALITY MATERIALS.

TOUCHING.

EVEN
WITHOUT
CONTACT.



WATER ON, WATER OFF - AS IF BY MAGIC.

The touchless HANSADESIGNNO variants have an enchanting exterior, and their interior lives up to expectations too: thanks to sophisticated sensor technology, water only comes out when it is supposed to. The result: reduced water consumption. More comfort and better hygiene.



GREEN

MAKING OUR CUSTOMERS' LIVES BETTER ALSO MEANS PROTECTING THEIR HEALTH AND THE ENVIRONMENT. ONE WAY WE ARE ACHIEVING THIS IS BY LIMITING THE WATER CONSUMPTION OF ALL WASHBASIN FAUCETS IN THE HANSADESIGNNO FAMILY. THE MIKADO® STREAM VARIANTS, FOR INSTANCE, ONLY USE TWO LITRES PER MINUTE.

INNOVATIVE

AT HANSA, TECHNICAL SOLUTIONS AND INNOVATIONS ARE ALWAYS MADE FOR THE BENEFIT OF THEIR USER. ALL OF OUR **SENSORY MODELS**, FOR EXAMPLE, CAN BE CONTROLLED USING THE HANSA APP. YOU CAN USE IT TO ACTIVATE CLEANING MODE, SEE THE CURRENT BATTERY LEVEL, CREATE AN AUTOMATIC RINSING SCHEDULE AND MUCH MORE. WHEN IT COMES TO COMFORT, YOU COULD HARDLY ASK FOR MORE.



AN ELEGANT OPTION FOR YOUR GUEST BATHROOM.

Our smallest variants combine the benefits of sensory technology with the beauty of the Mikado® stream. Could a guest feel more welcome?

BEAUTY CONTEST.

The HANSA**DESIGNO** faucets are just as beautiful and individual as your bathroom itself. Choose between touchless, top-controlled or side-controlled options.



SIDE-CONTROLLED

Elegant and simultaneously practical. Thanks to the strikingly tall and, depending on the model, swivelling spout, the side-controlled models offer a particularly generous amount of space for your basin. The optional hand shower unit increases flexibility even further and is helpful, for example, when washing hair.

TOP-CONTROLLED

The classic - available in two varieties: whether compact for smaller washbasins or as a large-sized, taller solution, whether with or without a hand shower spout: no matter what you choose, you will always enjoy outstanding aesthetics and functionality.

TOUCHLESS

Luxurious, water-saving, hygienic - there are many reasons to choose an electronically controlled faucet. These include our patented and exceptionally precise sensor technology that responds as if by magic.

VERSATILE

THANKS TO AN ENORMOUS SELECTION OF FAUCETS, SHOWERS AND ACCESSORIES, HANSA**DESIGNO** IS SUITABLE FOR ALMOST ANY BATHROOM, AND WITH A LARGE NUMBER OF OPTIONS FOR CONTROL, SIZE AND DESIGN, IT IS BOUND TO SUIT YOUR PERSONAL TASTE TOO.

BATHE AND SHOWER IN STYLE.

Beauty in front, technology behind: HANSA**DESIGNO** offers a wide selection of user-friendly, superbly made and elegant control elements for both baths and showers using concealed installations. Alternatively, HANSA**DESIGNO** can also of course feature in your bathroom in stylish, intuitively controlled, exposed variants.



CONCEALED AND EXPOSED - ALWAYS THE RIGHT SOLUTION.

HANSA has the perfect solution for any structural conditions: HANSA offers exposed solutions and a wide selection of concealed solutions, and, no matter which you choose, you are bound to be impressed by their functionality and design. For this we offer HANSA**MATRIX**, the modular, grid-based system for optimal spatial planning, as well as the flexible and versatile HANSA**BLUEBOX** universal system. Both solutions share a harmonious concept designed for variability, built-in, innovative technologies and consistently short assembly times. Please ask your plumber about the solution that suits you best.



QUALITY CONSCIOUS

HANSA STANDS FOR QUALITY. WE HAVE EARNED THIS STATUS THROUGH INNOVATIVE PRODUCTS, EXCELLENT WORKMANSHIP AND OUR ALMOST PROVERBIAL UNDERSTANDING OF QUALITY. THIS RESULTS IN DISTINGUISHED PRODUCT FAMILIES SUCH AS HANSA**DESIGNO** AS WELL AS ECO-FRIENDLY, SUSTAINABLE PRODUCTION METHODS. TESTED OFFICIALLY AND ISO-CERTIFIED.



ELEGANT STABILITY:

HANSA**DESIGNO** for free-standing baths.

SHOWERS FOR YOUR WELLNESS.



HANSA**ACTIVEJET** showers can do hot and cold, and, moreover, the three-stream variant can also do pulsating, gentle and intense – simply press the button to select the type of stream and experience a completely different shower.



The showers in the HANSA**ACTIVEJET** family have completely round shapes or curved corners, making them the perfect addition to HANSA**DESIGNO**.

The matching shower rail set with easy height adjustment and practical soap dish features a wall mount which can be positioned flexibly, this means existing drill holes can be used when renovating.



LOOKING FOR HELP IN THE KITCHEN?

- WASH LETTUCE.
- DAMPEN YOUR KITCHEN PAPER
- RINSE VEGETABLES.
- CLEAN POTS...

Our kitchen faucet is without a doubt the work-horse of our faucets. That's all the more reason for it to both look good as well as help out practically. A description that reflects the HANSA**DESIGNO** kitchen faucet perfectly: thanks to the swivelling, particularly tall spout and pull-out shower with two different stream options, you can count on it to perform admirably in any kitchen.



RELIABLE

THE NAME HANSA IS SYNONYMOUS WITH OUTSTANDING PRODUCTS AND THE OUTSTANDING PEOPLE WHO CREATE, SELL AND INSTALL THEM. AS SUCH, WE ARE MORE THAN HAPPY TO GIVE A TWO-YEAR GUARANTEE FOR THE FUNCTIONALITY OF HANSA**DESIGNO** AND A TEN-YEAR GUARANTEE FOR THE AVAILABILITY OF SPARE PARTS.

PRODUCT OVERVIEW.

WASHBASIN



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5189 2283 34 rose gold
MIKADO® Aerator,
pop-up waste (metal), connection
with flexible pressure hoses
projection: 130 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5189 2283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 130 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5103 2283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 150 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5149 2283 chrome
without pop-up waste,
HANSA 3S-Installation,
connection with flexible
pressure hoses
projection: 150 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5121 1183 chrome
pop-up waste (metal),
HANSA 3S-Installation
projection: 150 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5107 2281 chrome
with remotely operated function
handshower, without pop-up
waste, connection with flexible
pressure hoses
projection: 150 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5134 2201 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 150 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5183 2283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 128 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5188 2283 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 128 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5171 2283 chrome
pop-up waste (metal),
HANSA 3S-Installation,
connection with flexible
pressure hoses
projection: 119 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5172 2283 chrome
without pop-up waste,
HANSA 3S-Installation,
connection with flexible
pressure hoses
projection: 119 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5191 1183 chrome
pop-up waste (metal),
HANSA 3S-Installation,
connection using flexible
hoses G3/8
projection: 119 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5169 2283 chrome
for washbowls, without pop-up waste,
connection with flexible pressure hoses
projection: 150 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5168 2281 chrome
with remotely operated function
handshower, without pop-up
waste, connection with flexible
pressure hoses
projection: 119 mm



HANSADESIGNO
one-hole single-lever
basin mixer, DN 15
5170 2201 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 119 mm



HANSADESIGNO
electronic basin faucet, DN 15
battery-operated
5193 2201 chrome
sensory operation (infrared),
MIKADO® Aerator,
without pop-up waste
projection: 100 mm



HANSADESIGNO
electronic basin faucet, DN 15
mains supply
5193 2211 chrome
incl. power supply and connection cable,
MIKADO® Aerator, without pop-up waste,
hygienic flush after 72 h for 30 sec at
factory preset
projection: 100 mm



HANSADESIGNO
electronic basin faucet, DN 15
battery-operated
5179 2201 chrome
sensory operation (infrared), push-pop-up waste,
flexible hoses
projection: 138 mm



HANSADESIGNO
electronic basin faucet, DN 15
high spout
battery-operated
5194 2201 chrome
sensory operation (infrared),
push-pop-up waste,
flexible hoses
projection: 164 mm



HANSADESIGNO
electronic basin faucet, DN 15
mains supply
5194 2211 chrome
sensory operation (infrared),
incl. power supply and connection
cable, push-pop-up waste,
flexible hoses
projection: 164 mm



HANSADESIGNO
trim kit wall-mounted single-lever
basin mixer, DN 15 suitable for
HANSA MATRIX installation unit
suitable for installation unit
HANSAVARIO
5109 2183* chrome
projection: 194 mm



HANSADESIGNO
trim kit concealed electronic mixer, DN 15 (G1/2)
suitable for HANSA MATRIX installation unit
4492 2010* chrome
with thermostatic temperature mixing device,
sensory operation (infrared), incl. power supply
and connection cable
projection: 195 mm



HANSADESIGNO
three-hole basin mixer, DN 15
5105 2183 chrome
pop-up waste (metal)
projection: 141 mm



BIDET



HANSADESIGNO
one-hole single-lever mixer,
DN 15
5198 3283 chrome
for bidet, pop-up waste (metal),
connection with flexible
pressure hoses
projection: 119 mm



HANSADESIGNO
one-hole single-lever mixer,
DN 15
5173 3283 chrome
for bidet, pop-up waste (metal),
connection with flexible
pressure hoses
projection: 117 mm

BATH/SHOWER



HANSADESIGNO
single-lever bath mixer,
DN 15 G1/2
5185 2183 chrome
projection: 149 mm



HANSAACTIVEJET
Set for bath faucets
8438 0113 light grey/chrome
HANSAACTIVEJET hand shower,
1-spray, shower head size 120 mm,
shower hose, 1500 mm



HANSAACTIVEJET STYLE
Set for bath faucets
8438 0213 white/chrome
HANSAACTIVEJET STYLE hand
shower, 1-spray, shower head size
110 mm x 120 mm, shower hose,
1500 mm



HANSA
wall-mounted shower bracket
4444 0100 chrome



HANSALIVING
wall-mounted shower bracket
Rosette soft edge - rounded
4444 0183 chrome



HANSA
wall-mounted shower bracket
4444 0173 chrome



HANSADESIGNO
single-lever bath mixer,
DN 15 G1/2
5327 2083* chrome
ground-standing
projection: 200 mm



SILVERJET® SHOWER HOSE
5412 0400 chrome, length 1250 mm
5412 0500 chrome, length 1600 mm
5412 0300 chrome, length 1750 mm
5412 0200 chrome, length 2000 mm



BATH/SHOWER CONCEALED



HANSADESIGNO
trim kit with function unit single-lever bath mixer
suitable for **HANSABLUEBOX** concealed unit
8111 9593* chrome
rosette without screws, Rosette soft edge - rounded,
function unit with **BLUESWITCH** diverter



HANSADESIGNO
trim kit with function unit single-lever bath mixer
suitable for **HANSABLUEBOX** concealed unit
8111 9563* chrome
rosette without screws, round rosette, Ø 170 mm,
function unit with **BLUESWITCH** diverter



HANSADESIGNO
trim kit with function unit single-lever
bath mixer with vacuum breaker
suitable for **HANSABLUEBOX** concealed unit
8111 3593* chrome
rosette without screws, Rosette soft edge - rounded,
function unit with **BLUESWITCH** diverter



HANSADESIGNO
trim kit with function unit single-lever
bath mixer with vacuum breaker
suitable for **HANSABLUEBOX** concealed unit
8111 3563* chrome
rosette without screws, round rosette, Ø 170 mm,
function unit with **BLUESWITCH** diverter



HANSALIVING
thermostatic bath faucet, DN 15 (G1 /2)
suitable for **HANSABLUEBOX** concealed unit
8114 9572* chrome
with integrated ceramic volume regulation,
rosette without screws, Rosette soft edge - rounded,
function unit with **BLUESWITCH** diverter and
volume control



HANSALIVING
trim kit with function unit
thermostatic bath faucet, DN 15 (G1 /2)
suitable for **HANSABLUEBOX** concealed unit
8114 9552* chrome
with integrated ceramic volume regulation,
rosette without screws, round rosette, Ø 170 mm,
function unit with **BLUESWITCH** diverter and
volume control



HANSALIVING
thermostatic bath faucet, DN 15 (G1 /2)
with vacuum breaker
suitable for **HANSABLUEBOX** concealed unit
8114 3572* chrome
with integrated ceramic volume regulation,
rosette without screws, Rosette soft edge - rounded,
function unit with **BLUESWITCH** diverter and
volume control



HANSALIVING
thermostatic bath faucet, DN 15 (G1 /2)
with vacuum breaker
suitable for **HANSABLUEBOX** concealed unit
8114 3552* chrome
with integrated ceramic volume regulation,
rosette without screws, round rosette, Ø 170 mm,
function unit with **BLUESWITCH** diverter and
volume control



HANSALIVING
thermostatic mixer, DN 15 (G1/2)
suitable for **HANSABLUEBOX** concealed unit
8112 9583* chrome
rosette without screws, function unit without
diverter, without volume control



HANSALIVING
trim kit with function unit
thermostatic mixer, DN 15 (G1/2)
suitable for **HANSABLUEBOX** concealed unit
8866 9501* chrome
rosette without screws, round rosette, Ø 170 mm,
function unit without diverter, without volume
control

BATH



HANSADESIGNO
bathtub spout, DN 15
5116 2180 chrome
also compatible with **HANSAMATRIX**,
square rosette, 75 x 75 mm additionally included,
Rosette soft edge - rounded,
round rosette, Ø 75 mm additionally enclosed
projection: 195 mm



HANSADESIGNO
trim kit single-lever mixer
for all 4-hole installation units
5312 2083* chrome
Rosette soft edge - rounded
projection: 189 mm



HANSADESIGNO
trim kit single-lever mixer
for all 4-hole installation units
5312 2063* chrome
round rosette
projection: 190 mm



HANSADESIGNO
trim kit single-lever mixer
for all 3-hole installation units
5325 9083* chrome
for distant positioned bathtub
spout (**HANSAFILL**), without
HANSAFILL tub filler and
drain assembly, Rosette soft
edge - rounded



HANSADESIGNO
trim kit single-lever mixer
for all 3-hole installation units
5325 9063* chrome
for distant positioned bathtub
spout (**HANSAFILL**), without
HANSAFILL tub filler and
drain assembly, round rosette

SHOWER



HANSADESIGNO
single-lever shower mixer,
DN 15 (G 1/2)
5186 0183 chrome



HANSAACTIVEJET
wall bar set 970 mm
8437 0130
light grey/chrome
HANSAACTIVEJET
hand shower, 3-spray,
shower hose, 1750 mm,
with soap dish



HANSAACTIVEJET STYLE
wall bar set 970 mm
8437 0230 chrome
HANSAACTIVEJET STYLE
hand shower, 3-spray,
shower hose, 1750 mm,
with soap dish



HANSA
solid-metal wall bar,
wall bar 600 mm,
4440 0100 chrome



HANSA
solid-metal wall bar,
wall bar 1100 mm,
4441 0100 chrome

BATH/SHOWER CONCEALED



HANSADESIGNO
trim kit installation set 7.7
electronic thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
Tiptronik installation unit
4487 4001* chrome
with shower set, bathtub spout



HANSADESIGNO
trim kit
single-lever faucet
suitable for
HANSAMATRIX
installation unit
4451 9583* chrome
with 2-way-diverter



HANSALIVING
trim kit with function unit thermostatic mixer,
DN 15 (G1/2) suitable for **HANSAMATRIX**
installation unit 4453 9583* chrome
suitable for **HANSASIGNATUR**, **HANSALOFT**,
HANSADESIGNO, **HANSALIGNA**, **HANSASTECLA**,
HANSARONDA, 2-way-diverter / volume control



HANSADESIGNO
trim kit installation set 2.1
single-lever mixer, DN 15
suitable for **HANSAMATRIX**
installation unit
4487 0101* chrome
with shower set, with bathtub
spout, DN 15



HANSADESIGNO
trim kit installation set 6.2
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSAMATRIX**
installation unit
4487 0121* chrome
with shower set, with bathtub
spout, DN 15



HANSADESIGNO
trim kit installation set 4.1 single-lever mixer, DN 15
suitable for **HANSAMATRIX** installation unit
4487 0131* chrome
with shower set, for distant positioned bathtub spout
(**HANSAFILL**)

SHOWER CONCEALED



HANSADESIGNO
trim kit with function unit
single-lever shower mixer
suitable for **HANSABLUEBOX**
concealed unit
8110 9593* chrome
rosette without screws,
Rosette soft edge - rounded,
function unit without diverter



HANSADESIGNO
trim kit with function unit
single-lever shower mixer
suitable for **HANSABLUEBOX**
concealed unit
8110 9563* chrome
rosette without screws,
round rosette, Ø 170 mm,
function unit without diverter



HANSALIVING
thermostatic shower faucet,
DN 15 (G 1/2)
suitable for **HANSABLUEBOX**
concealed unit
8113 9572* chrome
with integrated ceramic
volume regulation, rosette
without screws, Rosette soft
edge - rounded, function
unit with service stops



HANSALIVING
trim kit with function unit
thermostatic shower faucet,
DN 15 (G 1/2)
suitable for **HANSABLUEBOX**
concealed unit
8113 9552* chrome
with integrated ceramic
volume regulation, function
unit with service stops,
without diverter



HANSALIVING
thermostatic mixer,
DN 15 (G1/2)
suitable for **HANSABLUEBOX**
concealed unit
8112 9583* chrome
rosette without screws,
function unit without diverter,
without volume control



HANSALIVING
trim kit with function unit
thermostatic mixer, DN 15 (G1/2)
suitable for **HANSABLUEBOX**
concealed unit
8866 9501* chrome
rosette without screws, round
rosette, Ø 170 mm, function unit
without diverter, without volume
control

SHOWER CONCEALED

HANSADESIGNO
trim kit installation set 9.1
single-lever mixer, DN 15
suitable for HANSAMATRIX installation unit
4487 0031* chrome
with wall-bar set,
with HANSARAIN overhead shower, DN 15



HANSALIVING
trim kit installation set 14.1
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX Tiptronik installation unit
4487 0160* chrome
suitable for HANSASIGNATUR, HANSALOFT,
HANSADESIGNO, HANSALIGNA, HANSASTECLA,
HANSARONDA, wall bar set 1100 mm,
with HANSARAIN overhead shower, DN 15



HANSALIVING
trim kit installation set 14.2
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX Tiptronik installation unit
4487 0161* chrome
suitable for HANSASIGNATUR, HANSALOFT,
HANSADESIGNO, HANSALIGNA, HANSASTECLA,
HANSARONDA, wall bar set 1100 mm,
HANSAVIVA overhead shower



HANSADESIGNO
trim kit installation set 9.2
single-lever mixer, DN 15
suitable for HANSAMATRIX installation unit
4487 0041* chrome
with shower set,
with HANSARAIN overhead shower, DN 15




HANSALIVING
trim kit installation set 14.3
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX Tiptronik installation unit
4487 0170* chrome
suitable for HANSASIGNATUR, HANSALOFT,
HANSADESIGNO, HANSALIGNA, HANSASTECLA,
HANSARONDA, with shower set,
HANSARAIN overhead shower



HANSADESIGNO
trim kit single-lever mixer, DN 15
suitable for HANSAMATRIX installation unit
4487 0011* chrome
with solid-metal shower bar 1100 mm



HANSALIVING
trim kit installation set 14.4
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX Tiptronik installation unit
4487 0171* chrome
suitable for HANSASIGNATUR, HANSALOFT,
HANSADESIGNO, HANSALIGNA, HANSASTECLA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSALIVING
trim kit installation set 15.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit
4487 0190* chrome
suitable for
HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTECLA,
HANSARONDA,
shower set



HANSALIVING
trim kit installation set 15.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
Tiptronik installation unit
4487 0180* chrome
suitable for
HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTECLA,
HANSARONDA,
wall bar set 1100 mm



HANSALIVING
trim kit installation set 11.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit
4487 0073* chrome
suitable for
HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTECLA,
HANSARONDA,
wall bar set 1100 mm,
HANSAVIVA overhead shower



HANSALIVING
trim kit installation set 11.4
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit
4487 0083* chrome
suitable for
HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTECLA,
HANSARONDA,
with shower set,
HANSAVIVA overhead shower



HANSALIVING
trim kit installation set 13.1
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit
4487 0051* chrome
suitable for
HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTECLA,
HANSARONDA,
wall bar set 1100 mm



HANSALIVING
trim kit installation set 13.2
thermostatic mixer,
DN 15 (G1/2)
suitable for HANSAMATRIX
installation unit
4487 0061* chrome
suitable for
HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTECLA,
HANSARONDA,
shower set



HANSA
trim kit
0228 9172* chrome
for volume control valves,
for multi-way diverter 0295 0100



HANSALIVING
trim kit
0228 8202* chrome
for volume control valves



HANSA
trim kit
0228 8102* chrome
for volume control valves



HANSA
trim kit
0628 9105* chrome
for volume control valves,
for multi-way diverter 0295 0100



HANSALIVING
trim kit
0228 8183* chrome



HANSA
trim kit
0228 8101* chrome
for volume control valves,
for multi-way diverter 0295 0100



HANSA
wall-mounted shower bracket
4444 0100 chrome



HANSALIVING
wall-mounted shower bracket
4444 0200 chrome



HANSALIVING
wall-mounted shower bracket
4444 0193 chrome



HANSA
wall-mounted shower bracket
4444 0173 chrome



HANSALIVING
wall-mounted shower bracket
Rosette soft edge - rounded
4444 0183 chrome



HANSALIVING
wall-mounted shower bracket
4444 0163 chrome



HANSALIVING
wall connection elbow, DN 15
Rosette soft edge - rounded
5118 0183 chrome



HANSALIVING
wall connection elbow,
DN 15
5118 0193 chrome



HANSALIVING
wall connection elbow, DN 15 with integrated stop
Rosette soft edge - rounded
5157 0183 chrome
can also be used as an angle valve



HANSA
wall connection elbow,
DN 15
5118 0163 chrome



HANSA
wall connection elbow,
DN 15
5118 0180 chrome



HANSA
wall connection elbow, DN 15
with integrated stop
5157 0162 chrome



HANSA
wall connection elbow, DN 15
with integrated stop
5157 0173 chrome
can also be used as an angle
valve



KITCHEN



HANSADESIGNO
single-lever
kitchen mixer, DN 15
5101 2283 chrome
connection with flexible
pressure hoses
projection: 200 mm



HANSADESIGNO
single-lever
kitchen mixer, DN 15
5102 1183 chrome
for open hot water heaters,
connection using copper
pipes projection: 200 mm



HANSADESIGNO
single-lever
kitchen mixer, DN 15
5138 2283 chrome
electric shut-off valve,
connection with flexible
pressure hoses
projection: 200 mm



HANSADESIGNO
single-lever
kitchen mixer, DN 15
5137 2283 chrome
extractable hand spray,
connection with flexible
pressure hoses
projection: 200 mm



HANSADESIGNO
single-lever
kitchen mixer, DN 15
5137 2283 chrome
extractable hand spray,
connection with flexible
pressure hoses
projection: 200 mm

HANSA HEAD OFFICE

HANSA Armaturen GmbH
Sigmaringer Str. 107
70567 Stuttgart
Telefon: +49 711 1614-0
Fax: +49 711 1614-368
info@hansa.com

HANSA CUSTOMER CENTRE

Telefon: +49 711 1614-888
Fax: +49 711 1614-801
kundenzentrum@HANSA.com

For technical queries:
technik@HANSA.com

AQUAPUNKT[®]

Rediscover water.
Visit us in Stuttgart.
www.aquapunkt.de



Apple and the Apple logo are marks of Apple Inc.
registered in the USA and other countries.
App Store is a service mark of Apple Inc.



Google Play and the Google Play logo
are marks of Google Inc.



a member of orasgroup